

TC15F

series



Product Segments

• Ergo Motion


The TC15F control box is specifically designed for a variety of ergonomic height-adjustable applications. Incorporating solid-state circuitry, the TC15F provides seamless and quiet operation, eliminating any relay clicks. Experience instantaneous button responses, delivering an exceptional user experience with smooth, uninterrupted, movements. Elevate your workspace with the TC15F for enhanced operational precision and unparalleled ergonomic performance.

General Features

Number of motors	1~2
Number of controls	1
Max. output	32V DC, 12A
Back-up battery	External battery
Options	Supports built-in t-touch / Bluetooth and external battery
Input Voltage	100~240V AC (SMPS)
Built-in transformer type	SMPS
Plug support	EU, US, AU, UK, or JP
Color	Black
Operational temperature range	+5°C~+45°C
0.1W standby power consumption	
Compact design for height adjustable desks	

Drawing

Standard Dimensions
(mm)



TC15F Ordering Key

TC15F

Version: 20240528-B

Transformer	W = SPM-400H (12A, 0.1W stand by, 195~264V)		U = SPM-58E (29V/2.0A, 0.15W stand by, 100-240V)
Plug	1 = EU 2 = US, SPT-2	3 = AU 4 = UK	5 = JP
Fixiation Type	1 = Black	2 = Black, Quick Release	
Cable Length (mm)	1 = Straight, 1500	2 = Straight, 2000	3 = Straight, 4000
Control Board	2 = With MCU		
Bluetooth Built-In	0 = Without	1 = With	
t-touch Built-In	0 = Without	1 = With	
TBB Port	0 = Without	1 = With	

Terms of Use

The user is responsible for determining the suitability of TiMOTION products for a specific application.
TiMOTION products are subject to change without prior notice.